

This **Hosting Service Agreement** (“Service Agreement”) sets forth the specific terms and conditions under which LightEdge Solutions, Inc. (“LightEdge”) shall supply certain Services to Customer. The Master Service Agreement entered into between LightEdge and Customer fully incorporates the terms herein and provides that this Service Agreement, and Customer’s execution of the Master Service Agreement constitutes acceptance of the terms and conditions stated herein. Capitalized terms used but not defined herein shall have the meanings set forth in the Master Service Agreement. The Initial Term length for this Service is set forth on the applicable Purchase Agreement, executed by LightEdge and Customer, making reference to this Service.

1.0 Terminology

Authorized Contact: “Authorized Contact” is a representative authorized by Customer to request service changes using procedure outlined herein.

Codeword: “Codeword” refers to a secure password known only to Authorized Customer point of contacts and representatives of LightEdge.

Customer: “Customer” is party LightEdge is entering into Service agreement with.

Customer Network: “Customer Network” refers to the entire network Customer makes available to Remote Users as part of this Service. Customer Network may include many different physical locations and/or physical pieces of Equipment.

Data Center: “Data Center” refers to the physical space within a facility used for hosting of customer equipment.

Data Infrastructure: “Data Infrastructure” refers to the Ethernet Switching, Wide Area networking and Internet components available in the Data Center. All access to the Data Infrastructure is contracted separately and use of such is not implicitly or expressly provided by this Service.

Equipment: “Equipment” refers to equipment located within the facility that is owned by the Customer.

Facilities: “Facilities” refers to the physical structure, power distribution and cooling provided by LightEdge to the customer.

Service: “Service” refers to the use of the facilities for the purpose of hosting customer equipment. The use of Service in this document is specific to the service outlined in this document. Use of the term Service in any other LightEdge documentation in no way supersedes the definitions of Service outlined herein.

2.0 Service Description

2.1 General

LightEdge will provide the Customer Conditioned Space, Power, Security, Lockable Cabinets, Shared Collocation and/or Cage Space as define below.

2.1.1 Conditioned Space

Computer Room Air Conditioning (CRAC) units are strategically placed in the data center to assure the appropriate ambient temperature thresholds are met. In a raised floor data center, the conditioned air is dispersed through the air plenum and through the IDC using perforated floor tiles. The non-raised floor data center disperses conditioned air using overhead ducting.

2.1.2 Power

Each Data Center has Uninterruptible Power Supply (“UPS”) systems. UPS systems receive power from both the commercial power utility, and the standby generators. In case of a commercial power failure, the multiple standby generators are available to provide power to the IDC within one minute of a commercial power outage. The one-minute gap is covered by the UPS battery system. During an extended commercial power outage, the diesel generators provide power using the fuel stored on site. Every Data Center has a minimum of a one-day fuel supply, with fuel delivery arrangements. LightEdge recommends all circuits be ordered with one, (1) primary and one (1) redundant circuit for fail-over per cabinet. Aggregate draw may not exceed the thresholds defined below. If the Customer’s actual power requirement exceeds the listed threshold, a customer may consider procurement of additional contiguous space to accommodate power consumption and heat dissipation. All Power circuits are required to stay within 80% of the active circuit’s rated value. LightEdge will periodically review Customer’s usage of primary and redundant circuits to verify that Customer is not overloading the circuit or using redundant circuit as a

primary source. If Customer refuses to rectify power non-compliance issues, then the Power SLAs will not be applicable to Customer.

Facility	Maximum W/sq ft.	Maximum KW per rack
Altoona, IA	100 W/sq ft.	3.5 KW
Des Moines, IA	50 W/sq ft.	1.75 KW
Minneapolis, MN (511)	60 W/sq ft	2.1 KW
Moline, IL	40 W/sq ft.	1.4 KW

2.1.3 Physical Security of Data Center

Security includes controlled access and egress doors, controlled access permissions and access request methods, and managed key and/or access card and/or biometric systems for access control. CCTV cameras are used to monitor access, egress, and LightEdge infrastructure. Parking is available on a first-come, first-serve basis with no guarantee of availability. Parking may incur third-party costs. LightEdge will not be liable for any pedestrian or vehicular costs incurred in the course of gaining access to LightEdge facilities. LightEdge is not liable for damage, loss, or theft of vehicles, and/or contents thereof. LightEdge reserves the right to access (or to allow third party to access) any part of the Data Center or facility at any time for safety and security reasons including customer cage space or customer cabinets.

LightEdge will require a government issued form of identification prior to granting any form of access to Customer(s).

2.1.3.1 Key access

For LightEdge facilities or portions thereof requiring key access one key will be provided to Customer. Additional keys may be available at additional cost. Customer is responsible for controlling and logging usage of such key(s).

Customer is responsible for communicating change requests, revocation requests, lost keys or other items that can reasonably be considered to be security risks to LightEdge immediately. LightEdge will make reasonable effort to address such requests within two (2) business days.

Keys may be changed from time to time. If a key change is initiated LightEdge will contact one (1) Authorized Contact and inform them of the key change but will not provide the new key. The Authorized Contact will need to contact LightEdge and provide their secured codeword to obtain the new key(s).

2.1.3.2 Building card access

For LightEdge facilities residing in a third party building requiring card access two cards will be provided to Customer at no cost. Additional cards are available at additional cost.

Building cards cannot be used to gain access to LightEdge facilities.

2.1.3.3 Data Center card access

For LightEdge facilities or portions thereof requiring card access two cards will be provided to Customer at no cost. Additional cards are available at additional cost. Each individual requiring data center access requires a unique card. Cards cannot be shared among multiple people.

Customer is responsible for communicating change requests, revocation requests, lost cards or other items that can reasonably be considered to be security risks to LightEdge immediately. LightEdge will make reasonable effort to address such requests within one (1) business day.

LightEdge will retain and make available six (6) months of usage logs on card access system. These logs are available to Customer by request.

2.1.3.4 Data Center biometric access

For LightEdge facilities requiring biometric access account setup for ten (10) individuals will be provided to Customer at no cost. Each individual requiring data center access requires a unique biometric code and "imprint". Codes and imprints cannot be shared among multiple people. An imprint is a unique physical aspect of the individual holding the access account. This may be one or multiple of the following biometric signatures: iris scan, handprint identification or fingerprint identification.

Customer is responsible for communicating change requests, revocation requests, lost codes or other items that can reasonably be considered to be security risks to LightEdge immediately. LightEdge will make reasonable effort to address such requests within one (1) business day.

LightEdge will retain and make available six (6) months of usage logs on biometric access system. These logs are available to Customer by request.

2.1.3.5 Data Center code access

For LightEdge facilities or portions thereof requiring code access one code will be provided to Customer at no cost.

Customer is responsible for communicating change requests, revocation requests, lost codes or other items that can reasonably be considered to be security risks to LightEdge immediately. LightEdge will make reasonable effort to address such requests within one (1) business day.

Codes will be changed every six (6) months, or every time a LightEdge employee with knowledge of such code is no longer employed by LightEdge, or each time a customer requests a code change, or each time a customer with knowledge of such code is deemed to no longer require knowledge of such code, or every reasonable breach of security surrounding knowledge of such code, whichever comes sooner.

If a code change is initiated LightEdge will contact one (1) Authorized Contact and inform them of the code change but will not provide the new code. The Authorized Contact will need to contact LightEdge and provide their secured codeword to obtain the new code.

2.1.3.6 Visitor access

Visitor access to all LightEdge facilities requires prior authorization by LightEdge. LightEdge requires a twenty-four (24) hour or more notification of such visitors. Visitors must be escorted at all times by LightEdge personal and/or by customer Authorized Contact(s).

If LightEdge is asked to escort a visitor of Customer rates for this service shall be the same as the remote hands rate. LightEdge will require a government approved form of identification from each visitor receiving escort services. If visitor identification does not match the request made by customer Authorized Contact access will not be granted.

2.1.4 Lockable Cabinet

Cabinets are four post racks with combination lockable doors and side panels. Side panels on adjacent cabinets will not be removed. The dimensions are 24" wide (outside) x 36" to 39" deep and 45U to 48U tall, depending on the Data Center. The inside width is 19". There are lockable doors on the front and back of the cabinet. Cabinets are pre-wired with 6 copper Cat5e or better cable drops leading to the LightEdge data infrastructure. Use of this cabling is reserved for LightEdge only. Cabling may be available for use by customer at additional cost.

Customer access to the cabinet is granted via a 3 digit PIN code. Each cabinet has a unique PIN code. PIN code will be provided to Customer Authorized Contacts. Any Authorized Contact can request a reset or change of this PIN code. The Authorized Contact initiating the change request will be given the new PIN code. It will be this Authorized Contact's responsibility to communicate the new PIN code to all other Authorized Contacts.

All Customer requests relating to PIN code will be tracked by LightEdge. This includes but is not limited to change requests, informational requests and revocation requests.

LightEdge will have access to the Customer cabinet with a key. LightEdge reserves the right to access Customer cabinet at any time for any reason.

2.1.5 Caged Space

Caged space is an option available to Customers who are managing their installation in whole or in part. Caged space is comprised of a mesh wall around the Customers racks / cabinets with dedicated connectivity infrastructure. This connectivity is built on a customer by customer basis and no pre-wired cabling is provided. LightEdge assets or LightEdge Managed devices may be separated from the caged Customer environment for security reasons.

2.1.6 Shared Collocation

Shared Collocation is space provided within a LightEdge lockable cabinet for the purpose of hosting individual computing resources. Each purchased unit includes a maximum of 2Amp of 120V power delivered on one electrical outlet fed by a single power feed.

2.2 Availability

The availability of Collocation service is dependent on available space and power within a given data center. LightEdge reserves the right to limit availability of Service to new customer or expansion of existing customers based on availability of space / power.

2.3 Facility Access

All persons utilizing the facility will be required to sign a Data Center Physical Access Policy statement acknowledging the terms and conditions of physical access to the data center.

3.0 Service Features

3.1 Power

Lockable Cabinet – Lockable Cabinet contracts come with one (1) 20Amp / 120Volt circuit with Ethernet manageable power distribution unit. Addition power may be ordered at time of contract up to a maximum allowed by LightEdge. 120V power will include manageable power distribution units. 208V power will not include PDUs. Following initial installation, LightEdge may restrict the ability to add additional power circuits based on power and cooling consumption within the data center.

Shared Collocation – A shared collocation contract provides one (1) 120V outlet with a maximum power draw of two (2) Amps. Up to one additional two (2) Amp power port may be ordered to provide redundant power. At no point shall more than two power ports be allocated to a single contracted device. All power ports are standard NEMA 5-15 outlets.

Caged Space – All power to caged spaces is customer built to the customer's original ordering specifications. A maximum of 60Amps draw at 208V or 120V shall be enforced. Following initial installation, LightEdge may restrict the ability to add additional power circuits based on power and cooling consumption within the data center.

General conditions – All power outlets within the data center shall conform to either the NEMA locking standard for 120V (L5) and 208V (L6) circuits or the IEC-309 standard for larger scale 208V deployments. All circuits must be neutral isolate and no common neutral will be provided for 208V circuits

3.2 Remote Hands

LightEdge offers remote hands service of Customer Equipment used with the data center for an additional fee. This feature is available at the discretion of the operations staff and inclusion of this Description of Service feature herein in no way entitles customer to feature.

Router management only includes configuration and management of Equipment necessary to support LightEdge Service. LightEdge reserves the right to bill customer

at current hourly rates for configuration requests that are not required to provide Service outlined herein.

4.0 Service Delivery

4.1 General

It is Customer's responsibility to ensure that all devices at the facility are able to connect to Equipment and are configured properly. This includes but is not limited to Ethernet switches, Ethernet cabling, workstations, servers and operating systems.

4.2 Installation

If required LightEdge offers the following provisioning options for Service at additional charge as described in the Customer's Service Agreement.

Installation assistance from data center staff. This service is available with advanced notice during daytime hours as stated in the Customer's Service Agreement.

Data Center Escort – All customers in shared Collocation will be required to be accompanied by a LightEdge employee for the duration of their activity in the data center areas. Rates for this service shall be the same as the remote hands rate. Escort services to data center areas are available during business hours.

Shared Collocation Equipment Removal and Installation

Customers not wishing to pay the escorting fees may have the LightEdge staff install and remove equipment from shared collocation spaces. This service is available only during business hours unless prior arrangements are made. If outside of business hours, standard remote hands work rates shall apply. 48 hours advanced notice is required for this service and LightEdge will perform the removal at staff convenience up to 24 hours in advance. Installation of equipment in a rack will take place as soon as reasonable possible but may take up to 24 hours to complete.

5.0 Equipment

This section intentionally left blank.

6.0 Service Support

6.1 Authorized Contacts

LightEdge Solutions provides reliable and secure managed services by requiring technical support and information requests come only from documented, authorized client-organization contacts. Additionally, in compliance with federally regulated CPNI (Customer Proprietary Network Information) rules, a customer contacting LightEdge Solutions to request an add, move, or change and/or to request information on their account, must provide LE representative with customer's Codeword. Codeword is not required or verified to open trouble tickets related to service issues, however, any subsequent information/updates or authorization of intrusive testing related to the trouble ticket will require the Codeword.

Customer shall provide a "contact list" which will contain one ("1") Administrative contact and may contain up to three ("3") Technical contacts per service. Administrative and Technical contacts are authorized to request service changes or information, including the contact name, contact e-mail address and contact phone number for each contact but must provide customer Codeword for any CPNI related requests. Requests to change a contact on the list or to change the Codeword must be submitted by the Administrative contact. Requests to replace the Administrative contact shall be submitted via fax to LightEdge on customer company letterhead. All requests are verified per procedure below.

- Requests for CPNI, configuration information or changes are accepted only from documented, authorized client-organization contacts via e-mail, fax or phone and will require Customer's Codeword. E-mail and fax requests must be submitted without the Codeword. Customer contact will be called to verify Codeword. E-mail requests that include the Codeword will be denied and the client Administrative Contact will be notified and required to change the Codeword.

- E-mail and fax requests are verified with a phone call to the documented client contact. Phone call requests must be validated with an e-mail request from a documented client contact.

6.2 Helpdesk

Customers must contact LightEdge Support to report a trouble with LightEdge Technical Support. LightEdge Technical Support will be available seven (7) days per week; twenty-four (24) hours per day; three hundred sixty-five days (365) days per year. LightEdge Technical Support provides support for network monitoring, trouble ticket resolution, and fault isolation up to the termination Equipment.

LightEdge Technical Support will accept trouble and outage related support calls from any customer representative. Requests for service changes or information are accepted from any Authorized Contact per conditions and procedures described above in Section 6.1. LightEdge will not perform any requested activity which may cause Service disruption or perform any changes to Service unless request is initiated by an Authorized Contact. LightEdge reserves the right to delay response on support tickets opened by anyone other than the Authorized Contact.

Communication between Customer and LightEdge not initiated by Authorized Contact will not be subject to SLA remedies.

All communications with Customer will be in the English language.

6.3 Support Limitations

LightEdge Technical Support is not responsible for end-user support of issues not directly related to Service. This includes (but is not limited to) Customer operating systems, Customer equipment, or Customer application support.

6.4 Monitoring

Customers in Lockable cabinet and Shared Collocation contracts are provided access to the managed power strips associated with their contracted space or devices. Further monitoring of equipment within the contracted space is Customer's responsibility.

6.5 Notifications

If requested by Customer LightEdge will notify Customer within fifteen (15) minutes of a Service outage via e-mail (to pager) notification Services. LightEdge will monitor power and cooling in the data centers. An outage is defined as any time power or adequate cooling is unavailable to the contracted space. Power conversion to UPS or backup generator shall not be considered an outage as no loss of power is suffered by the customer.

6.6 Maintenance

Maintenance window for disruptive work to service will be limited 12:00 A.M. to 4:00 A.M., Central Daylight Time (CDT), Friday morning with requirement of two (2) week notification to Customer prior to maintenance.

LightEdge will send an e-mail notification of such disruptive maintenance to Service to Authorized Contacts of Customer. Once notification is sent to Customer this will be considered a "scheduled maintenance". Any Service SLAs will not apply during a scheduled maintenance.

LightEdge reserves the right to perform emergency Service or network maintenance as needed outside this window, in which case LightEdge will make a reasonable effort to notify the Customer if feasible under the circumstances. Any such maintenance will be considered an "emergency maintenance". All Service SLAs will apply during emergency maintenance.

Customer is responsible for maintaining and up-to-date Authorized Contact list with LightEdge. LightEdge will not be held responsible for maintenance notifications missed due to out-of-date Authorized Contact information.

6.7 Backup and Recovery

LightEdge makes no warranty or representation of any data backup with this Service.

7.0 Billing

7.1 Service Activation Date

Billing for the Service Component will begin on the Service Activation Date, as specified below, for the specific Service type.

The Service Activation Date for Shared Collocation is the date power and rack space are allocated to the customer.

The Service Activation Date for Locked Cabinet customers is the date power build out is complete for that customer.

The Service Activation Date for Caged Space customers is the date all three of the following conditions are met: (i) physical cage is installed, (ii) power build out as defined by the customer is complete, (iii) functioning security card readers are activate.

7.2 Billing - Additional Charges and Fees

7.2.1 Access Cards

Two access cards for the data center spaces are provided for each customer regardless of number of contracted services within a data center. Additional access badges may be purchase at a rate indicated on the Customer Rate Sheet

7.2.2 Minimum Retention Period – Moves

In the event Customer terminates the Service before the expiration of the minimum payment period, then Customer shall pay the termination charges in accordance with the Customer's Service Agreement. LightEdge will waive the termination charges, if Customer purchases another Service from LightEdge at a new location, which is of the same or greater value and subscribes to a new minimum payment period of at least twelve (12) months. Additional Equipment charges may apply depending on the type of the new Service that is being purchased by Customer.

10.0 Service Level Agreements

10.1 General

LightEdge will be the sole party to determine whether LightEdge has not met any of the Service level agreements specified herein. LightEdge reserves the right to change or discontinue any or all of the Service level agreements detailed below at any time without notice to the Customer. Customer must at all times cooperate with LightEdge in testing, determining and verifying that a qualifying Service outage has occurred.

10.2 SLA Credit Request Process and Limitations

In order to receive any of the SLA credits (specified herein) for Service, an Authorized Contact must immediately notify LightEdge Technical Support of an occurrence within the LightEdge Service that results in the inability of the Customer to operate equipment located within the Service ("Service Outage"). A Service Outage does not include an outage that occurs during scheduled periods of maintenance or upgrades.

LightEdge Technical Support will investigate the reported outage and assign a Trouble Ticket number. Once LightEdge determines that the substantiated Service Outage that could qualify Customer for the SLA credit occurred ("Verifiable Trouble Ticket"), then Customer may request a Service Credit within 30 days after the event giving rise to the credit by contacting LightEdge Technical Support and asking for an SLA credit escalation. A Verifiable Trouble Ticket must accompany Customer's request for any SLA credit regarding the Service purchased by Customer. Credits should appear on Customer's bill for the Service within two (2) billing cycles, after such SLA credit has been approved by the LightEdge representative.

In any calendar year, Customer's aggregated SLA credits may not exceed, for any Service, two (2) month's worth of the monthly Service fee for the affected Service.

In any billing month SLA credits may not exceed, for any Service, fifty (50) percent of the monthly Service fee for the affected Service.

For purpose of calculating SLA credits, this monthly Service fee shall mean the monthly recurring charge for such Service, but excluding, in all cases, (i) all one-time charges.

10.3 SLA Exclusions

10.3.1 Global SLA Exclusions

SLAs do not apply and LightEdge is not responsible for failure to meet an SLA resulting from:

- Misconduct of Customer or Users of Service
- Failure or deficient performance of power, Equipment, Services or systems not provided by LightEdge
- Delay caused or requested by Customer

8.0 Customer Requirements

Customer shall be fully responsible for providing to LightEdge at Customer's own expense and in a timely manner the following:

- All security for its Services and systems used or accessible in connection with Service.
- Cooperative testing of all Customer-provided hardware, software, and Services for compatibility with Service.
- Designating an Authorized Contact(s) to be the point of contact to interface with LightEdge Technical Support.

9.0 Service Conditions

Customer will maintain facilities and procedures external to the Service for reconstruction of lost or altered files, data or programs.

Customer understands that LightEdge will make commercially reasonable efforts to provision Service. However, Customer understands that if additional service is ordered it may or may not be possible to provision that service augmentation dependent upon available capacity with the facility. LightEdge reserves the right to refuse provisioning of service elements that are not in accordance with accepted practices related to electrical and cooling services.

Customer will not hold LightEdge liable for any resultant damage or loss due to inability to provide services outlined herein. This includes but is not limited to electrical issues, loss of cooling, fire, theft, or force majeure.

Customer acknowledges that in the event of a trouble, Customer is responsible for on-site cooperative testing with LightEdge Technical Support to assist in the diagnosis of the trouble.

Customer agrees to be bound to current terms of LightEdge Acceptable Use Policy. Terms of the Acceptable Use Policy are subject to change without notice. Customer agrees to be bound to any and all versions of LightEdge Acceptable Use Policy. Current Acceptable Use Policy can be found here: <http://www.LightEdge.com/policies/acceptableuse.html>

- Service interruptions, deficiencies, degradations or delays due to any access lines (i.e. POTS line) whether provided by LightEdge or by third parties, or Equipment when provided by third parties.
- Service interruptions, deficiencies, degradations or delays during any period in which LightEdge or its representatives are not afforded access to the premises where access lines associated with Service are terminated or LightEdge Equipment is located
- Service interruptions, deficiencies, degradations or delays during any period when a Service Component is removed from Service for maintenance, replacement, or rearrangement purposes or for the implementation of a Customer order
- Customer's election to not release a Service Component for testing and/or repair and to continue using the Service Component
- Force Majeure conditions such as fire, explosion, lightning, power surges or failures, strikes or labor disputes, water, acts of god, the elements, war, civil disturbances, terror, acts of civil or military authorities, fuel or energy shortages, acts or omissions of suppliers or other causes beyond LightEdge's control, whether or not similar to the foregoing.
- Service interruptions, deficiencies, degradations or delays during any period when a Service Component is removed from Service for maintenance, replacement, or rearrangement purposes by Customer staff.
- Failure to provide suitable secure environment for on premise devices including but not limited to: secure mounting/racking, appropriate cooling and air handling, secure from theft, loose wires bundled neatly, etc.
- Service interruptions, deficiencies, degradations or delays in Service caused by any piece of equipment, configuration, routing event or technology not under the management and control of LightEdge.
- Failure to adhere to LightEdge recommended configurations on unmanaged equipment.
- Over 30 day past due balance on any billing or service with LightEdge.

In addition, Service SLAs do not apply (a) if Customer is entitled to other available credits, compensation or remedies under Customer's Service Agreement for the same Service interruption, deficiency, degradation or delay, (b) for Service interruptions, deficiencies, degradations or delays not reported by Customer to LightEdge, (c) where Customer reports an SLA failure, but LightEdge does not find any SLA failure, and (d) when Service is dependent upon other Service with lower SLA.

If Customer elects to use another provider or method to restore Service during the period of interruption, Customer must pay the charges for the alternative Service used.

10.3.2 Service SLA Exclusions

None yet identified.

10.4 SLA Classifications

10.4.1 Availability

"Availability" SLAs apply only when service is completely unavailable due to any sort of issue. After Customer opens a ticket on Service issue LightEdge Technical Support will classify the issue. If LightEdge Technical Support determines that Customer service is 100% unavailable the issue will be categorized as a "Service Availability" issue and all SLA remedies applicable to Service Availability will apply. Any SLA remedies not specifically defined as "Service Availability" SLAs will not apply to same "Service Availability" issue.

10.4.2 Performance

Performance SLAs apply if Service is available in a degraded state. After Customer opens a ticket on Service issue LightEdge Technical Support will classify the issue. If LightEdge Technical Support determines that Customer service is available albeit with performance degradation the issue will be categorized as a "Service Performance" issue and all SLA remedies applicable to Service Performance will apply. Any SLA remedies not specifically defined as "Service Performance" SLAs will not apply to same Service issue.

Service Performance SLA credits will not be given if Service Availability SLA credits are requested against same Customer issue.

10.4.3 Other

"Other" SLAs apply whenever SLA goal has not been met. "Other" SLA credits will qualify for consideration even when "Service Availability" or "Service Performance" SLA credits are requested against the same Customer issue.

10.5 Availability SLA Goals

10.5.1.1 Power Availability SLA

For purpose of the Availability SLA, the duration of a Service Outage shall be deemed to commence upon the opening of a Verifiable Trouble Ticket by LightEdge Technical Support, in response to the Customer request, and ends when the Service Outage ends or when LightEdge deems repair to be necessary. If LightEdge deems repair to be necessary to resolve Service Outage then Availability SLA shall cease to apply for duration of Service Outage.

Trouble tickets, where the Service Outage cannot be verified with LightEdge's standard diagnostic procedures, do not count towards the Availability SLA.

Power availability is calculated as $((TPM - MDT) / TPM) \times 100$ where:

- TPM == Total Power Minutes, per month. Total power minutes do not include Scheduled Maintenance or emergency Maintenance timeframes.
- MDT == Minutes Down Time, minutes per month where power is unavailable.

Goal	Remedy
99.99% availability ~ 5 minutes downtime monthly	Service Credit is based on Monthly Service Charge. 99.98 – 99.9% = 10% Service Credit 98.89 – 99% = 15% Service Credit 98 - 98.99 % = 20% Service Credit 97 – 97.99% = 35% Service Credit <97% = 50% Service Credit

10.5.1.2 Power Availability Exceptions:

- If a customer exceeds 80% of a given circuit, this SLA is no longer in effect. Customer is responsible and liable for any damage that occurs as the result of such excessive usage.
- If Customer plugs additional power strips into the LightEdge provided power strips, this SLA is no longer in effect. LightEdge reserves the right to demand removal of the additional power strips.

10.5.2 Cooling Availability SLA

For purpose of the Availability SLA, the duration of a Service Outage shall be deemed to commence upon the opening of a Verifiable Trouble Ticket by LightEdge Technical Support, in response to the Customer request, and ends when the Service Outage ends or when LightEdge deems repair to be necessary. If LightEdge deems repair to be necessary to resolve Service Outage then Availability SLA shall cease to apply for duration of Service Outage.

Trouble tickets, where the Service Outage cannot be verified with LightEdge's standard diagnostic procedures, do not count towards the Availability SLA.

Power availability is calculated as $((TCM - MDT) / TCM) \times 100$ where:

- TCM == Total Cooling Minutes, per month. Total cooling minutes do not include Scheduled Maintenance or emergency Maintenance timeframes.
- MDT == Minutes Down Time, minutes per month where cooling is unavailable or degraded. Cooling is measured by the average return air temperature of the active recirculation units within the Data Center.

Goal	Remedy
99.99% availability at 72 degrees F. ~ 5 minutes downtime monthly	Service Credit is based on Monthly Service Charge. 99.98 – 99.9% = 5% Service Credit 98.89 – 99% = 10% Service Credit 98 - 98.99 % = -15% Service Credit 97 – 97.99% = 20% Service Credit <97% = 25% Service Credit

10.5.2 Service Repair Objective

For purpose of the Repair Objective, the duration of a Service Outage shall be deemed to commence upon the determination by LightEdge Technical Support that Service Repair is necessary and ends when the Service Repair has been completed.

Goal	Objective
24 hours	LightEdge will make all reasonable efforts to resolve problems resulting from Customer initiated trouble tickets for this Service within twenty-four (24) hours.

10.5.3 Provisioning SLA

There is no Provisioning SLA with this Service.